

1st FINAL INSPECTION REPORT				No.:					
Client/Destination:		Supplier:							
Inspection Date:			Manufacturer:						
Manuf'r Address:			Manuf'	Manuf'r Tel/Fax:					
Article:	Article: Printing Caculator		Order Qty.:		1,000 pcs				
Model No./Brand: 1200.S (CS-1188)/ Spiral Digit		Inspected Qty:		1,000 pcs/50 ctns					
PO No.:	N/A		As'ort / Colour:		Black				
EAN Code:	7898535 760239		S / N Range:		13091200S000001~				
				•		200S001000			
MIL-STD-105E, Leve	MIL-STD-105E, Level II , AQL Allo		Allowed	Allowed Found	Result				
<b>S/S:Maj:</b> <u>80</u> pcs, Min: <u>80</u> pcs		AQL	Alloweu						
Hi-pot Test: 3000 V,	<u>5</u> mA, <u>1</u> S,	Critical:0.01	0	0	Passed				
Aging test:_pcs for_	hours is N/A						Bey	ord	
				_	Daisatad			and	
		Major:0.65	1	2	Rejected	X	ren	nark	
							2-a, 2	?-c,2-d	
Drop Test: ISTA 1 A, / cm height, N/A		Minor:1.50	3	4	Pending				
No Defects Description							Maj	Min	
Malfunction(no information on LCD screen)							1	141111	
Malfunction(can not clear to zero)							1		
3. Flash in buttun(1.2cm)							•	1	
4. Chipped near buttun(0.3cm)								1	
5. Scratched mark on clear cover(1.3cm/1.0cm)								2	
Total:						0	2	4	
i Otal.   0   2   4									
1. Accessories &	& Label:								
	nglish	7, French □, O	thers $\square$						
-Warranty Card : in English _, Spanish _, French _, Others:									
-Gift box: in English □, Spanish □, French □,Others ⊠ Portuguese									
-Remote: □; Batteries: AA ⊠,AAA □, ×4 pcs □,LITHIUM BATTERY,3V □ pcs□; AV cable□_cm;									
- <b>Power Range</b> :AC110V□,230V□,100-240V⊠,50Hz□,60Hz□,50/60Hz⊠;AC Adaptor⊠DC <u>6</u> V, <u>0.3</u> A, 2									
flat pins AC cord with VDE□,UL□,CE□,Others: □,Li-ion Batteries□, _V,_mAh,									
-EAN code Label: on Unit □, Gift box ⊠, Color card □,Outer carton □,									
-S/N label: on Unit □, Gift box ⊠, Color card □,Outer carton □,Warranty card □,									
-MADE IN CHINA Label: in Unit ⊠, Gift box ⊠, Color card □,Outer carton ⊠, AC Adaptor ⊠ -OSD language default: English□, Spanish□, French□, Others □									
-OSD language o	detault: English⊡, S	spanish⊡, Fren	ch∐, Othe	rs ∐					
	ult: PAL□,NTSC□,								
	e_: in Unit □, Gift b								
-CE marking: on Unit ⊠, Gift box □, Outer carton □, AC Adaptor □, Car Adapter □, Others □									

Ç	D	ma	rk.

a. The cover of the printer can't open as the using arrow mark (50pcs defect of total 80pcs sample)

marking: in Unit □, Gift box □, Outer carton □,AC Adaptor□, Others □

-Double insulation marking: on Unit ⊠, Gift box □, Outer carton □,AC Adaptor ⊠, Others □

-WEEE marking: on Unit ⊠, Gift box □, Outer carton □,AC Adaptor ⊠, Others □ \_\_-Recycle marking: on Unit □, Gift box □, Outer carton □,AC Adaptor □, Others □

-FCC marking: in Unit □, Gift box □, Outer carton □, AC Adaptor □, Others □







Arrow mark


checked as the arrow mark





Good sample(the cover was open) defect sample (the cover can't open)

- Factory refused to conduct the carton drop test due to no spares and not required on order.
- c. 0.3A marking on rating label of AC adaptor is different with 0.03A on rating label of back of unit. Pls refer the below photos. That is same as previous shipment.





d. Only 2.5mm height CE mark on rating label of products (standard requirement: >5mm) that is same as previous shipment.





- e. S/N label was only on gift box.
- f. Packing method: each with manual sheet in polybag and with roll paper, AC adaptor and 2 pairs AA batteries in gift box, then 10pcs in inner carton, and then 2pcs inner carton into a master carton. total 20pcs per master carton.

## 3. Main component part:

AC adaptor 1pc; AA batteries 4pcs; Roll paper 1pc

Check point	Marking	Actual
Carton size	527x385x250 mm	527x390x265 mm
Carton weight	11.8kgs	11.71kgs
Gift box size	/	12x20.7x7cm
Gift box weight	/	530g
Products size	20x9.7x4cm	20x9.7x4cm
Products weight	/	480g
Power cable length	/	200cm

## **Disclaimer**

THIS ONLY REFLECTS OUR FINDING AT THE TIME AND PLACE OF INSPECTION.

THIS REPORT DOES NOT RELEASE THE SELLER FROM ANY OBLIGATION UNDER HIS CONTRACT WITH GGIC TO MAKE GOOD, ALTER OR REPLACE ANY MATERIAL / COMPONENTS IN WHICH FAULTS OR DEFECTS MAY HEREAFTER BE FOUND OR DEVELOPED. INSPECTION IS PERFORMED TO THE BEST OF OUR ABILITY AND CONSCIENCE BUT WITHOUT ANY RESPONSIBILITY ON OUR PART.


THIS REPORT DOES NOT EVIDENCE OF SHIPMENT

THIS DRAFT COPY IS INOFFICIAL AND SERVES FOR GGIC INTERNAL INFORMATION PURPOSE ONLY.
ITS CONCLUSION IS SUBJECT TO CONFIRMATION/ADMENDMENT BY GGIC

<u>Luther Lou/Bill Deng</u> (Inspectors) <u>Shino Kang</u> (Manufacturer)


## 5. Photos:

























LCD screen/logo/item# with protective film

Printer compartment with clear cover





Printer apartment (with Standard Motor)

Batteries box






Reset mark

6V DC socket with embossed marking





Rating label on unit







Carton size (52.7x39x26.5cm)/weight (11.71kgs)





Field Test and Measurement

Gift box size (12x20.7x7cm)/weight (530g)



Unit size: 20x9.7x4cm



Unit weight: 480g



Barcode scan well on gift box



HI-POT test





3M tape adhesive test for printing



Rub test with wet cotton cloth for printing



Voltage of AA battery check



Disassembly test



**EPSON** core



Stability test on flat glass



Function test with 4xAA batteries







Function test with AC adaptor



Major defects- Malfunction(no information on LCD screen)



Major defects- Malfunction(can not clear to zero)

## Defects Finding



Minor defects- Flash in buttun(1.2cm)



Minor defects- Chipped near buttun(0.3cm



Minor defects- Scratched mark on clear cover(1.3cm/1.0cm)



\*\*\* THE END \*\*\*